




CHOOSE A STYLE TO FIT YOUR HOME

# Window Styles



DOUBLE HUNG


SINGLE HUNG

SINGLE HUNG  
ROUND TOP


SLIDER

CASEMENT


AWNING



BAY



BOW



SPECIAL SHAPE



ROUND TOP

WINDOW INSTALLATION OPTIONS

## Creating the best fit for your home

Depending on the age and style of your home, Infinity offers two window replacement methods. Your local Infinity partner will help you determine the best solution for your home. Both methods are designed for maximum efficiency and minimal disruption to your home.

01

### Full-frame replacement

During a full-frame installation project, the entire window and trim is removed and replaced. Full-frame replacement is also used for new window styles or enlarging your existing opening for a bigger view.

02

### Insert replacement

Insert replacement is an efficient approach if your existing window frames are in good condition and you only need to replace your sash and hardware. Our insert solution installs directly into your existing window frame with no disruption to existing trim, interior walls, or exterior siding.



SINGLE HUNG  
ROUND TOPS



CASEMENT AND  
SPECIAL SHAPE



AWNINGS AND  
SPECIAL SHAPES



SLIDER AND  
ROUND TOP



# Timeless design with an attention to detail

Ultrex® fiberglass not only provides unmatched durability compared to other window replacement materials – it also makes a lasting impression both inside and out. From slimmer profiles that deliver bigger views and more daylight to color options that resist fading, Ultrex simply delivers.

## More view for your money

Because Ultrex is so strong, we actually use less of it in Infinity window frames. That means you get more daylight and greater views outside, without bulky frames getting in the way.



## Beauty that lasts

Infinity's proprietary, high-performance, co-extruded finishing process is unlike anything else in the industry. Our thick, even acrylic finish is free of pinholes, striations, and imperfections and will resist scratches, fading, and chalking to retain its original beauty.



## A finish that resists fading

Want long-term color retention in a variety of styles? Ultrex uses an acrylic finish that is fade-resistant and virtually maintenance-free.

With a finish that's 3x thicker than competitive options, Ultrex resists chipping, denting, or peeling.



# Energy Efficiency

Replacing your windows can help reduce utility bills and improve your home's comfort. Ultrex fiberglass is far less thermally conductive than aluminum (5000x less) and insulates much like wood. This means that Ultrex provides an insulating barrier against extreme weather temperatures, keeping your home comfortable and helping to reduce heating and cooling costs.<sup>1</sup>

**61-68.5%**

Average investment recovered on new windows and doors when selling your home.<sup>2</sup>

## SUSTAINABLE DESIGN

# An investment that pays

Infinity window and door ratings are certified by the National Fenestration Rating Council (NFRC). NFRC-certified products are independently tested, certified, and labeled to help you make the best purchase decision for your home.



## ENERGY STAR

Infinity products are ENERGY STAR® certified.<sup>3</sup> ENERGY STAR certified windows can help save on energy bills when replacing existing single pane.<sup>1</sup>



## Longer life expectancy

Fiberglass windows have a **longer useful life expectancy** than vinyl.<sup>4</sup> That means fiberglass not only delivers superior performance, but long-lasting durability as well.

1. Savings reflects installing ENERGY STAR certified products compared to non-certified when replacing single pane windows based on the average savings among homes in modeled cities. Actual savings will vary by product type, location, method of installation, individual home characteristics, local climate and conditions, utility rates and other factors. [https://www.energystar.gov/products/res\\_windows\\_doors\\_skylights](https://www.energystar.gov/products/res_windows_doors_skylights). See your local Infinity partner to learn more about energy efficiency in your climate.

2. "2023 Cost vs Value Report" Remodeling. <http://remodeling.hw.net/cost-vs-value/2023>

3. ENERGY STAR at [energystar.gov](http://energystar.gov)

4. "Life cycle assessment of windows for the North American residential market: Case study" by the University of British Columbia. Scandinavian Journal of Forest Research, 2008.






# Infinity uses fiberglass for unmatched performance.

Replacement windows and doors have always been our sole focus. And that means we pioneered the use of materials like fiberglass that simply outperform and outlast other options. However, Infinity goes even further with Ultrex® – our proprietary fiberglass solution that offers unsurpassed durability and timeless style.

COMPARE INFINITY	VINYL	VINYL/WOOD COMPOSITES (FIBREX®)	INFINITY ULTREX FIBERGLASS	WHY INFINITY?
DURABILITY	BASIC	BETTER	BEST	Infinity's acrylic finish is 3x thicker than the competition and resists scratches, fading, and chalking.
STABILITY	BASIC	BETTER	BEST	Ultrex's low expansion rate means our windows stay tight and true for a weathertight seal.
STRENGTH	BASIC	BETTER	BEST	Ultrex is 8x stronger than vinyl and 3x stronger than Fibrex.

## How Ultrex fiberglass measures up

We created Ultrex with one goal in mind: develop the most durable window material in the industry. It's not only 8x stronger than vinyl – it resists expanding and contracting in any climate. So you get a tight, snug fit that will last.



### PERFORMANCE

## A fit that never quits

Ultrex fiberglass expands at virtually the same rate as glass, so our windows stay tight and true. This makes Infinity windows resistant to leaks, seal failures, and stress cracks that can compromise energy efficiency and long-term performance.



ULTREX STAYS TRUE



VINYL CAN EXPAND

### STRENGTH

## Stands up to the pressure

Compared to other materials, Ultrex is the strongest window framing material in the replacement industry. This means Ultrex resists bending and flexing – that's confidence Fibrex and vinyl simply can't match.

### 01

#### Ultrex vs. Vinyl Windows

Vinyl can warp and shift under everyday conditions – potentially making vinyl windows difficult to open and close and affecting their all-around performance. Ultrex resists sticking, swelling, and warping so Infinity windows and doors will continue to easily open and close.


### 02

#### Ultrex vs. Wood Windows

Wood windows offer classic beauty that, depending on the environment, can require maintenance and care. Infinity windows built with Ultrex capture the beautiful details and profiles of wood – without the maintenance.

#### Ultrex is stable like the glass in your window


Vinyl expands at a much higher rate than glass which may compromise your window's performance.



x10<sup>-5</sup> in/in/F – ASTM D696

#### Ultrex is 8x stronger than vinyl

Ultrex offers superior bend and flex resistance to protect the integrity of your home.



(KSI) – ASTM D790



# Finishes

## Exterior

We use a proprietary acrylic finish on our Ultrex® fiberglass that's virtually impermeable to help protect your investment from wind, weather, and color fading.



## Interior

We use the same acrylic finish on our interior as on our exterior for superior performance. Or choose our EverWood® option for the classic appeal of wood.



1. Sierra interior is not available with Ebony exterior.
2. Bronze interior is only available with Bronze exterior.
3. Ebony interior is only available with Ebony exterior.



## EverWood

EverWood, our breakthrough engineered wood grain interior finish, offers natural looks and textures – combined with the durability you expect from Infinity. It looks, feels, paints, and stains like wood but is completely low maintenance.

Match your existing woodwork or take your home in a new design direction with EverWood.

## Durable and low

Long-lasting EverWood material, so it won't fade over time. That means no discoloration, moisture contraction – just beauty and lasting beauty.






12/18/2024 04:00 PM  
Quote #276604  
Prepared by: Eric Atkins

# Thomas & Doryce Judd Project





Exterior Visualization Drawing


## Window 1

4 x \$1,809.00

### Options


Description:	<i>Infinity Insert Single Hung</i>
Number Wide:	1
Unit Type:	<i>Complete</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	24
Overall Frame Height:	64
Frame Width:	24
Configuration / Venting:	<i>Single Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Bronze</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glass Surface:	<i>Low E3</i>
Tempered:	<i>No</i>
Obscure:	<i>None</i>
Perimeter Bar Color:	<i>Stainless</i>
Grille Type:	<i>None</i>
Grille Pattern:	<i>None</i>
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Bronze</i>
Assembly Rough Opening:	<i>Rough Opening 25" x 64 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 24 3/8" x 64 1/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 24 1/2" x 64 1/4"</i>
Glazing Configuration:	<i>Standard Glazing</i>
Tint:	<i>None</i>
Laminated:	<i>No</i>
Gas Fill:	<i>Argon Gas</i>
Capillary Tubes:	<i>No</i>
Window Opening Control Device (WOCD):	<i>No</i>





Interior Visualization Drawing

Request Assistance?:	No
CPD Number:	MAR-N-244-01470-00001
U-Factor:	0.28
SHGC:	0.22
VT:	0.5
CR:	57
ENERGY STAR:	SC, S
Egress Width:	21 5/16"
Egress Height:	26 9/32"
Net Clear Opening Square Ft:	3.888049
DLO Width:	18.8019981
DLO Height:	28.1915054




**Window 2**

2 x \$1,939.00

**Options**


Description:	Infinity Insert Single Hung
Number Wide:	1
Unit Type:	Complete
Measurement Type:	Frame Size
Overall Frame Width:	34
Overall Frame Height:	64
Frame Width:	34
Configuration / Venting:	Single Hung
Sash Split:	Standard
Exterior Color:	Bronze



Interior Visualization Drawing

Lift Options:	<i>Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glass Surface:	<i>Low E3</i>
Tempered:	<i>No</i>
Obscure:	<i>None</i>
Perimeter Bar Color:	<i>Stainless</i>
Grille Type:	<i>None</i>
Grille Pattern:	<i>None</i>
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Bronze</i>
Assembly Rough Opening:	<i>Rough Opening 35" x 64 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 34 3/8" x 64 1/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 34 1/2" x 64 1/4"</i>
Glazing Configuration:	<i>Standard Glazing</i>
Tint:	<i>None</i>
Laminated:	<i>No</i>
Gas Fill:	<i>Argon Gas</i>
Capillary Tubes:	<i>No</i>
Window Opening Control Device (WOCD):	<i>No</i>
Jamb Size:	<i>3 1/4"</i>
Screen/Combo Ship Loose:	<i>No</i>
Request Assistance?:	<i>No</i>
CPD Number:	<i>MAR-N-244-01470-00001</i>
U-Factor:	<i>0.28</i>
SHGC:	<i>0.22</i>
VT:	<i>0.5</i>
CR:	<i>57</i>
ENERGY STAR:	<i>SC, S</i>
Egress Width:	<i>31 5/16"</i>
Egress Height:	<i>26 9/32"</i>
Net Clear Opening Square Ft:	<i>5.71291</i>
DLO Width:	<i>28.8019981</i>
DLO Height:	<i>28.1915054</i>






Exterior Visualization Drawing

1 x \$1,809.00

**Options**

Description:	<i>Infinity Insert Single Hung</i>
Number Wide:	<i>1</i>
Unit Type:	<i>Complete</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>21</i>
Overall Frame Height:	<i>64</i>
Frame Width:	<i>21</i>
Configuration / Venting:	<i>Single Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Bronze</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glass Surface:	<i>Low E3</i>
Tempered:	<i>No</i>
Obscure:	<i>None</i>
Perimeter Bar Color:	<i>Stainless</i>
Grille Type:	<i>None</i>
Grille Pattern:	<i>None</i>
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Bronze</i>
Assembly Rough Opening:	<i>Rough Opening 22" x 64 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 21 3/8" x 64 1/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 21 1/2" x 64 1/4"</i>
Glazing Configuration:	<i>Standard Glazing</i>
Tint:	<i>None</i>
Laminated:	<i>No</i>
Gas Fill:	<i>Argon Gas</i>
Capillary Tubes:	<i>No</i>
Window Opening Control Device (WOCD):	<i>No</i>
Jamb Size:	<i>3 1/4"</i>



Interior Visualization Drawing

CPD Number:	MAR-N-244-01470-00001
U-Factor:	0.28
SHGC:	0.22
VT:	0.5
CR:	57
ENERGY STAR:	5C, S
Egress Width:	18 5/16"
Egress Height:	26 9/32"
Net Clear Opening Square Ft:	3.340591
DLO Width:	15.8019991
DLO Height:	28.1915054


**Side 2**

2 x \$1,939.00


**Options**

Description:	Infinity Insert Single Hung
Number Wide:	1
Unit Type:	Complete
Measurement Type:	Frame Size
Overall Frame Width:	32
Overall Frame Height:	64
Frame Width:	32
Configuration / Venting:	Single Hung






Exterior Visualization Drawing



Interior Visualization Drawing

Interior Color:	Stone White
Hardware Color:	White
Lift Options:	Sash Lift
Interior Weatherstrip Package:	White
Glass Surface:	Low E3
Tempered:	No
Obscure:	None
Perimeter Bar Color:	Stainless
Grille Type:	None
Grille Pattern:	None
Screen Type:	Extruded Full Screen
Screen Mesh Type:	Bright View Mesh
Exterior Screen Surround:	Bronze
Assembly Rough Opening:	Rough Opening 33" x 64 1/2"
Assembly Inside Opening:	Inside Opening 32 3/8" x 64 1/4"
Assembly Masonry Opening:	Masonry Opening 32 1/2" x 64 1/4"
Glazing Configuration:	Standard Glazing
Tint:	None
Laminated:	No
Gas Fill:	Argon Gas
Capillary Tubes:	No
Window Opening Control Device (WOCD):	No
Jamb Size:	3 1/4"
Screen/Combo Ship Loose:	No
Request Assistance?:	No
CPD Number:	MAR-N-244-01470-00001
U-Factor:	0.28
SHGC:	0.22
VT:	0.5
CR:	57
ENERGY STAR:	SC, S
Egress Width:	29 5/16"
Egress Height:	26 9/32"
Net Clear Opening Square Ft:	5.347938



Exterior Visualization Drawing



Interior Visualization Drawing

## Side 2 (1)


1 x \$1,539.00

### Options

Description:	<i>Infinity Insert Single Hung</i>
Number Wide:	<i>1</i>
Unit Type:	<i>Complete</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	<i>29</i>
Overall Frame Height:	<i>40</i>
Frame Width:	<i>29</i>
Configuration / Venting:	<i>Single Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Bronze</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glass Surface:	<i>Low E3</i>
Tempered:	<i>No</i>
Obscure:	<i>None</i>
Perimeter Bar Color:	<i>Stainless</i>
Grille Type:	<i>None</i>
Grille Pattern:	<i>None</i>
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Bronze</i>
Assembly Rough Opening:	<i>Rough Opening 30" x 40 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 29 3/8" x 40 1/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 29 1/2" x 40 1/4"</i>
Glazing Configuration:	<i>Standard Glazing</i>
Tint:	<i>None</i>
Laminated:	<i>No</i>
Gas Fill:	<i>Argon Gas</i>
Capillary Tubes:	<i>No</i>
Window Opening Control Device (WOCD):	<i>No</i>



Request Assistance?:	No
CPD Number:	MAR-N-244-01470-00001
U-Factor:	0.28
SHGC:	0.22
VT:	0.5
CR:	57
ENERGY STAR:	SC, S
Egress Width:	26 5/16"
Egress Height:	14 9/32"
Net Clear Opening Square Ft:	2.608313
DLO Width:	23.8019981
DLO Height:	16.1915



Exterior Visualization Drawing



**Side 2 (1) 2**


2 x \$1,432.00

**Options**

Description:	Infinity Insert Rectangle
Number Wide:	1
Unit Type:	Complete
Measurement Type:	Frame Size
Overall Frame Width:	28
Overall Frame Height:	40
Frame Width:	28
Additional Mull Info:	Stand Alone
Configuration / Venting:	Fixed
Exterior Color:	Bronze
Interior Color:	Stone White
Glass Surface:	Low E3
Tempered:	No
Obscure:	None
Perimeter Bar Color:	Stainless
Grille Type:	None
Grille Pattern:	None
Assembly Rough Opening:	Rough Opening 29" x 40 1/2"
Assembly Inside Opening:	Inside Opening 28 3/8" x 40 1/4"

Interior Visualization Drawing

Tint:	None
Laminated:	No
Gas Fill:	Argon Gas
Capillary Tubes:	No
Jamb Size:	3 1/4"
Request Assistance?:	No
CPD Number:	MAR-N-374-03676-00001
U-Factor:	0.27
SHGC:	0.24
VT:	0.56
CR:	59
DLO Width:	24.2060013
DLO Height:	36.206



Exterior Visualization Drawing


**Back and side**

11 x \$1,939.00

**Options**

Description:	Infinity Insert Single Hung
Number Wide:	1
Unit Type:	Complete
Measurement Type:	Frame Size
Overall Frame Width:	34
Overall Frame Height:	64
Frame Width:	34
Configuration / Venting:	Single Hung
Sash Split:	Standard
Exterior Color:	Bronze
Interior Color:	Stone White
Hardware Color:	White
Lift Options:	Sash Lift
Interior Weatherstrip Package:	White
Glass Surface:	Low E3
Tempered:	No
Obscure:	None
Perimeter Bar Color:	Stainless





Interior Visualization Drawing


Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Bronze</i>
Assembly Rough Opening:	<i>Rough Opening 35" x 64 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 34 3/8" x 64 1/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 34 1/2" x 64 1/4"</i>
Glazing Configuration:	<i>Standard Glazing</i>
Tint:	<i>None</i>
Laminated:	<i>No</i>
Gas Fill:	<i>Argon Gas</i>
Capillary Tubes:	<i>No</i>
Window Opening Control Device (WOCD):	<i>No</i>
Jamb Size:	<i>3 1/4"</i>
Screen/Combo Ship Loose:	<i>No</i>
Request Assistance?:	<i>No</i>
CPD Number:	<i>MAR-N-244-01470-00001</i>
U-Factor:	<i>0.28</i>
SHGC:	<i>0.22</i>
VT:	<i>0.5</i>
CR:	<i>57</i>
ENERGY STAR:	<i>SC, S</i>
Egress Width:	<i>31 5/16"</i>
Egress Height:	<i>26 9/32"</i>
Net Clear Opening Square Ft:	<i>5.71291</i>
DLO Width:	<i>28.8019981</i>
DLO Height:	<i>28.1915054</i>

**Side smaller**

1 x \$1,539.00

**Options**

Description:	<i>Infinity Insert Single Hung</i>
Number Wide:	<i>1</i>
Unit Type:	<i>Complete</i>
Measurement Type:	<i>Frame Size</i>



Exterior Visualization Drawing




Interior Visualization Drawing

Frame Width:	29
Configuration / Venting:	Single Hung
Sash Split:	Standard
Exterior Color:	Bronze
Interior Color:	Stone White
Hardware Color:	White
Lift Options:	Sash Lift
Interior Weatherstrip Package:	White
Glass Surface:	Low E3
Tempered:	No
Obscure:	None
Perimeter Bar Color:	Stainless
Grille Type:	None
Grille Pattern:	None
Screen Type:	Extruded Full Screen
Screen Mesh Type:	Bright View Mesh
Exterior Screen Surround:	Bronze
Assembly Rough Opening:	Rough Opening 30" x 40 1/2"
Assembly Inside Opening:	Inside Opening 29 3/8" x 40 1/4"
Assembly Masonry Opening:	Masonry Opening 29 1/2" x 40 1/4"
Glazing Configuration:	Standard Glazing
Tint:	None
Laminated:	No
Gas Fill:	Argon Gas
Capillary Tubes:	No
Window Opening Control Device (WOCD):	No
Jamb Size:	3 1/4"
Screen/Combo Ship Loose:	No
Request Assistance?:	No
CPD Number:	MAR-N-244-01470-00001
U-Factor:	0.28
SHGC:	0.22
VT:	0.5
CR:	57



Egress Height:	14 9/32"
Net Clear Opening Square Ft:	2.608313
DLO Width:	23.8019981
DLO Height:	16.1915




Exterior Visualization Drawing

**Side small**

1 x \$1,809.00

**Options**

Description:	<i>Infinity Insert Single Hung</i>
Number Wide:	1
Unit Type:	<i>Complete</i>
Measurement Type:	<i>Frame Size</i>
Overall Frame Width:	21
Overall Frame Height:	64
Frame Width:	21
Configuration / Venting:	<i>Single Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Bronze</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glass Surface:	<i>Low E3</i>
Tempered:	<i>No</i>
Obscure:	<i>None</i>
Perimeter Bar Color:	<i>Stainless</i>
Grille Type:	<i>None</i>
Grille Pattern:	<i>None</i>
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Bronze</i>
Assembly Rough Opening:	<i>Rough Opening 22" x 64 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 21 3/8" x 64 1/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 21 1/2" x 64 1/4"</i>
Glazing Configuration:	<i>Standard Glazing</i>



Interior Visualization  
Drawing

Gas Fill:	<i>Argon Gas</i>
Capillary Tubes:	<i>No</i>
Window Opening Control Device (WOCD):	<i>No</i>
Jamb Size:	<i>3 1/4"</i>
Screen/Combo Ship Loose:	<i>No</i>
Request Assistance?:	<i>No</i>
CPD Number:	<i>MAR-N-244-01470-00001</i>
U-Factor:	<i>0.28</i>
SHGC:	<i>0.22</i>
VT:	<i>0.5</i>
CR:	<i>57</i>
ENERGY STAR:	<i>SC, S</i>
Egress Width:	<i>18 5/16"</i>
Egress Height:	<i>26 9/32"</i>
Net Clear Opening Square Ft:	<i>3.340591</i>
DLO Width:	<i>15.8019991</i>
DLO Height:	<i>28.1915054</i>



---

### **Additional Project Details**

Installation:

*Installation*

25 x \$485.00

Package Price:

\$58,006.00

Your Price:

**\$58,006.00**

---

## **About Us**

Jeff Ludy and the team at The Window Experts are devoted to creating the most delightful home-improvement experience you have ever had. We pride ourselves on having the best products, and our installation processes are the gold standard in the industry. We welcome the opportunity to serve you with your window and door replacement project.

## **Terms and Conditions**

PLEASE NOTE: Unless otherwise stated, this proposal does not include painting if needed.